

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



6257  
LIBRARY,  
U. S. Department of Agriculture  
Washington



Trade-List  
of  
Hardy  
American Plants  
Shrubs  
and Trees

1209

~~~~~  
William F. Bassett

Hammononton ~ N. Y. ~ U. S. A.

# DAHLIAS

---

When I saw my first Dahlia, about seventy years ago, I commenced growing them, and have been at it ever since.

My collection has been systematically culled till only the best cut flower varieties are retained. These I can supply to growers at reasonable prices.

I know how to grow Dahlias for the flower market, and will gladly give advice to any of my customers. Brief directions are given on third cover page.

I can furnish the following Dahlias in lots of 10 to 3000, according to variety, and would be glad to quote prices on any Dahlias you may want.

|                      |                   |
|----------------------|-------------------|
| Arabella             | La France         |
| A. D. Livonia        | Lovely            |
| Black Diamond        | Leuchtfeier       |
| Baron de Grancy      | Lyric             |
| Burbank              | Miss Dodd         |
| Brunhilda            | Mad. Van den Dael |
| Big Chief            | Mrs. James Mace   |
| Catharine Duer       | Mrs. H. J. Jones  |
| Charles Lannier      | Maurice Rivoire   |
| C. W. Bruton         | Mme. Valker       |
| Countess of Lonsdale | Mrs. Edw. Mauley  |
| Crimson Century      | Mrs. Roosevelt    |
| Charm                | Mme. Louis Tiller |
| Eloise               | Nymphaea          |
| Frank Smith          | Night             |
| Frank L. Bassett     | Perlhilde         |
| F. H. Wellesley      | Prince of Yellows |
| Fire Rain            | President Viger   |
| Fringed Beauty       | Roland Von Berlin |
| Frute                | Rebecca Mayhew    |
| Goldsmith            | Sylvia            |
| G. Doazon            | Santa Rosa        |
| Gladys               | Storm King        |
| Gen Buller           | Shooting Star     |
| H. W. Sillem         | The King          |
| Jack Rose            | Century           |
| J. H. Jackson        | Virginia Maule    |
| Frau Hermine Marx    | White Swan        |
| J. Weir Fife         | Waltham           |
| Kriemhilde           | Yellow Duke       |
| Lyndhurst            |                   |

## Terms and Remarks.

---

**Our Terms** are net cash, and are for the quantities named, except that 50 and 500 will be furnished at the 100 and 1000 rates, respectively. Persons not known by us to be responsible and reliable will be expected to send cash with order, or good references.

**Shipping Facilities.** Our nurseries are within 30 miles of Philadelphia (two railroads), 100 miles of New York, and freight rates are very low.

**Mailing Plants.** Small orders will be filled by mail when so requested, if size of plant will permit ; but postage will be added to bills so forwarded.

**Collected Plants.** This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware and Maryland, and we also have arrangements with special collectors in the New England and other States. This collecting is all done by skilled men. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves ; but as we cannot control weather conditions or other circumstances where we send them, we cannot assume any responsibility further than to ship them in good order.

**Transplanted Stock.** To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

**Packing,** which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

---

## To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

## Novelties and Specialties.

---

### **New Althea Crested Beauty.** As a hedge plant.

The rich deep foliage, the short stout growth, the extreme floriferousness, extending over a long season, and the fact that the closer it is sheared in spring the more vigorous it grows and the larger and greater number of flowers it will produce, make this the best of all deciduous hedge plants.

I have now (at the time of this writing, September 1st) hundreds of feet of rows that make a most beautiful showing. Landscape gardeners should stick a pin here.

### **Anchusa Italica, Dropmore Variety.**

This is a greatly improved variety of the old *Anchusa Italica* which has been the special admiration of all who have seen it in bloom, and pronounced the finest blue flowered Herbaceous plant in cultivation.

It will not come true from seed, and is propagated by root cutting. Every grower of herbaceous plants should secure at least a few this fall, for propagation in the greenhouse.

Blooming about May 30, it finds a ready sale as a cut flower, because of its color.

### **Plumbago Larpentæ.**

Several rows of this old favorite blue flower, planted last year, have shown its special adaptation for a border plant or edging for a walk. If planted thickly, it makes a perfectly regular line about a foot high and similar width that is in bloom throughout the season, and makes less trouble than almost any other edging, as it requires no shearing.

### **Funkia Lancifolia.**

This plant succeeds even better in a partial shade, and its long spikes of nodding lily-like flowers are very showy.

I am offering, this year, some very strong four-year clumps.

**Aster—Beauty of Colwall.**

This is the double form of the plant popularly known as Michaelmas Daisy. I obtained this from its English introducers, and it is now offered for the first time in this country. Its well doubled flowers, which are very freely produced, are light blue in color and are delicately fragrant. No collection is complete without it, and every grower of this class of plants should have it.

**Azalea Canascens.**

I consider this the best of our native Azaleas. It is the earliest to bloom, and its pink flowers are of a brighter color than any other sort, and in fragrance it far surpasses them all, having the same odor as the common grass pinks. I have a good stock of this fine shrub in both transplanted and collected stock, and I think that I am the first to offer it.

**Ilex Verticillata (Winter Berry).**

It may not be generally understood that this is dioecious, and that a large portion, often most of those indiscriminately collected, are staminate, and never bear fruit. I have propagated a quantity from plants which are pistillate and will bear fruit, and offer them in this list.

**Iris Siberica Orientalis.**

This is one of the most beautiful Iris in cultivation. It is larger than the type and the foliage broader, and the color is a very rich violet blue. Every one who grows Iris should have it.

---

## Certificate of Inspection.

NEW JERSEY STATE BOARD OF AGRICULTURE,  
Office of the State Entomologist,

No. 23.—1909.

NEW BRUNSWICK, N. J., Sept. 7, 1909.

This is to Certify that I have this 4th day of September, 1909, inspected the nursery stock growing on the Bassett Nurseries, Wm. F. Bassett, proprietor, at Hammonton, Atlantic County, New Jersey, and have found the same apparently free from San Jose Scale and other dangerously injurious insect pests; also, that the examined stock seemed healthy.

I Further Certify that the nursery has a properly constructed box,  $13\frac{1}{2} \times 4\frac{1}{4} \times 2\frac{1}{2}$  feet, for fumigating with hydrocyanic acid gas, upon which I have marked the quantity of cyanide of potassium required for an effective charge.

This Certificate expires June 1st, 1910, and covers only stock actually on the nurseries when examined.

JOHN B. SMITH, State Entomologist.

---

We will fumigate stock WHEN REQUESTED.

## General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

|                                                        | 10            | 100    | 1000  |
|--------------------------------------------------------|---------------|--------|-------|
| <i>Achillea eupatoria</i> . . . . .                    | 75            | \$5.00 |       |
| “ <i>millefolium roseum</i> . . . . .                  | 50            | 4.00   |       |
| “ <i>The Pearl</i> . . . . .                           | 40            | 4.00   |       |
| <i>Acorus calamus</i> , collected . . . . .            | 75            | 4.00   |       |
| <i>Adiantum pedatum</i> . . . . .                      | 60            | 3.00   | 25.00 |
| <i>Alectris farinosa</i> , col . . . . .               | 75            | 4.00   | 20.00 |
| <i>Amsonia salicifolia</i> . . . . .                   | 1.00          |        |       |
| <i>Anchusa Italica</i> Dropmore . . . . .              | 2.50          | 15.00  |       |
| <i>Andropogon macrourus</i> , col . . . . .            | 75            | 4.00   |       |
| <i>Anemone Pennsylvanica</i> . . . . .                 | 75            | 5.00   |       |
| “ <i>memorosa</i> , col . . . . .                      | 60            | 5.00   |       |
| <i>Anemonella thalictroides</i> , col . . . . .        | 75            | 4.00   |       |
| <i>Apios tuberosa</i> . . . . .                        | 30            | 1.00   | 8.00  |
| <i>Aquilegia Canadensis</i> . . . . .                  | 75            | 5.00   |       |
| “ <i>hybrida</i> . . . . .                             | 75            | 4.00   |       |
| <i>Aralia hispida</i> , col . . . . .                  | 75            |        |       |
| <i>Arenaria squarrosa</i> , col . . . . .              | 1.00          | 5.00   | 30.00 |
| <i>Arisaema dracontium</i> , col . . . . .             | 80            | 4.00   |       |
| “ <i>triphyllum</i> , col . . . . .                    | 50            | 4.00   | 25.00 |
| <i>Aristolochia serpentaria</i> , col . . . . .        | 60            | 4.00   |       |
| <i>Asarum Canadense</i> , col . . . . .                | 50            | 4.00   |       |
| <i>Asclepias incarnata</i> . . . . .                   | 75            | 4.00   |       |
| “ <i>obtusifolia</i> , col . . . . .                   | 2.00          |        |       |
| “ <i>pulchra alba</i> . . . . .                        | 50 cents each |        |       |
| “ <i>tuberosa</i> , col . . . . .                      | 1.00          | 6.00   | 40.00 |
| <i>Aspidium acrostichoides</i> , col . . . . .         | 50            | 2.00   | 15.00 |
| “ <i>aculeatum</i> var. <i>Braunii</i> , col . . . . . | 1.50          |        |       |
| “ <i>cristatum</i> , col . . . . .                     | 70            | 4.00   |       |
| “ <i>goldianum</i> , col . . . . .                     | 1.50          |        |       |
| “ <i>marginale</i> , col . . . . .                     | 50            | 2.00   | 15.00 |
| “ <i>novaboracensis</i> , col . . . . .                | 50            | 2.00   | 15.00 |
| “ <i>spinulosum</i> , col . . . . .                    | 75            | 3.00   | 25.00 |
| “ <i>thelypteris</i> , col . . . . .                   | 50            | 2.00   | 15.00 |
| <i>Asplenium ebeneum</i> , col . . . . .               | 50            | 2.00   | 15.00 |
| “ <i>trichomanes</i> , col . . . . .                   | 60            | 3.00   |       |

All plants in this list are nursery grown, unless otherwise specified.



|                                         | 10   | 100  | 1000  |
|-----------------------------------------|------|------|-------|
| Aster concolor, col . . . . .           | 2.00 |      |       |
| “ linariifolius, col . . . . .          | 50   | 4.00 | 25.00 |
| “ longifolius, col . . . . .            | 1.50 |      |       |
| “ Nova Angliae . . . . .                | 75   | 5.00 |       |
| “ “ rosea . . . . .                     | 75   | 5.00 |       |
| “ laevis . . . . .                      | 75   | 5.00 |       |
| “ “ floribunda . . . . .                | 1.00 | 5.00 |       |
| “ Mrs F. Raynor . . . . .               | 1.50 |      |       |
| “ patens, col . . . . .                 | 1.00 |      |       |
| “ Beauty of Colwall . . . . .           | 7.50 |      |       |
| “ puniceus, col . . . . .               | 75   |      |       |
| “ specabilis, col . . . . .             | 75   | 4.00 | 20.00 |
| “ Tradescantii, col . . . . .           | 40   | 2.50 | 15.00 |
| “ Tartaricus . . . . .                  | 75   | 4.00 |       |
| Baptissia tinctoria, col . . . . .      | 1.00 | 5.00 |       |
| Boltonia Asteroides . . . . .           | 75   |      |       |
| “ glastifolia . . . . .                 | 75   |      |       |
| “ latisquamae . . . . .                 | 75   |      |       |
| Botrychium Virginicum, col . . . . .    | 60   | 4.00 |       |
| Brassenia peltata, col . . . . .        | 75   | 5.00 |       |
| Breweria Pickeringii, col . . . . .     | 1.00 | 6.00 |       |
| Brunella vulgaris, col . . . . .        | 75   | 4.00 |       |
| Calamagrostis brevipilis, col . . . . . | 1.00 | 5.00 |       |
| “ Nuttaliana, col . . . . .             | 1.00 | 6.00 |       |
| Calla palustris, col . . . . .          | 75   | 5.00 |       |
| Calopogon pulchellus, col . . . . .     | 60   | 5.00 |       |
| Caltha palustris, col . . . . .         | 75   | 5.00 | 40.00 |
| Camptosorus rhizophyllus, col . . . . . | 60   | 2.50 |       |
| Cassia Marylandica . . . . .            | 75   | 6.00 |       |
| Chelidonium majus . . . . .             | 1.50 |      |       |
| Chelone glabra, col . . . . .           | 75   | 4.00 |       |
| Chimaphila maculata, col . . . . .      | 75   | 5.00 |       |
| “ umbellata, col . . . . .              | 75   | 6.00 |       |
| Chrysopsis falcata, col . . . . .       | 75   | 5.00 | 15.00 |
| “ mariana, col . . . . .                | 75   | 5.00 |       |
| Cimicifuga racemosa, col . . . . .      | 60   | 4.00 | 25.00 |
| Claytonia Virginica, col . . . . .      | 60   | 4.00 |       |
| Clintonia borealis, col . . . . .       | 75   | 5.00 |       |
| Coreopsis lanceolata . . . . .          | 50   | 3.00 |       |
| Coronilla varia . . . . .               | 60   | 5.00 |       |
| Cunilla Mariana, col . . . . .          | 60   | 5.00 |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                                | 10   | 100    | 1000  |
|------------------------------------------------|------|--------|-------|
| Cypripedium acaule, col . . . . .              | 75   | \$5.00 |       |
| “ “ large selected roots . . . . .             |      | 6.00   |       |
| Dalibarda repens, col . . . . .                | 1.00 |        |       |
| Dentaria laciniata, col . . . . .              | 60   | 3.00   |       |
| Dicentra Canadensis, col . . . . .             | 75   | 2.50   |       |
| “ cucullaria, col . . . . .                    | 60   | 2.00   |       |
| Dicksonia pilosiuscula . . . . .               | 60   | 2.00   |       |
| Digitalis gloxinoides . . . . .                | 75   |        |       |
| Dioscorea villosa, col . . . . .               | 1.50 |        |       |
| Dracocephalum Virginicum . . . . .             | 50   | 3.00   |       |
| Drosera filiformis, col . . . . .              | 60   | 1.50   | 10.00 |
| “ intermedia, col . . . . .                    | 1.00 |        |       |
| Elodes Virginica, col . . . . .                | 60   | 3.00   | 15.00 |
| Epilobium angustifolium, col . . . . .         | 1.00 | 6.00   | 50.00 |
| Erianthus alopecuroides, col . . . . .         | 1.00 | 5.00   |       |
| Eriocaulon gnaphalodes, col . . . . .          | 75   | 5.00   |       |
| “ decangulare, col . . . . .                   | 75   | 5.00   |       |
| Eriophorum Virginicum, col . . . . .           | 75   | 5.00   | 40.00 |
| “ gracile, col . . . . .                       | 75   | 5.00   | 40.00 |
| Eryngium Virginicum . . . . .                  | 2.00 | 7.50   |       |
| Erythronium Americanum, col . . . . .          | 60   |        |       |
| Eulalia gracillima . . . . .                   | 50   | 2.00   | 18.00 |
| “ Japonica variegata . . . . .                 | 50   | 4.00   |       |
| “ “ zebrina . . . . .                          | 60   | 2.50   | 18.00 |
| Eupatorium ageratoides . . . . .               | 75   | 4.00   |       |
| “ “ col . . . . .                              | 60   | 3.00   |       |
| “ purpureum, col . . . . .                     | 75   | 5.00   | 40.00 |
| Euphorbia corollata . . . . .                  | 50   | 2.50   | 10.00 |
| “ ipecacuanhae, col . . . . .                  | 1.00 | 5.00   |       |
| Funkia lancifolia, very large clumps . . . . . | 1.25 | 10.00  |       |
| “ “ strong . . . . .                           | 60   | 3.00   | 25.00 |
| “ subcordata . . . . .                         | 2.00 |        |       |
| “ Sieboldi . . . . .                           | 1.00 |        |       |
| Gaillardia grandiflora . . . . .               | 1.00 |        |       |
| Galactea glabella . . . . .                    | 1.00 |        |       |
| Gentiana Andrewsii, col . . . . .              | 1.25 | 7.00   |       |
| “ angustifolia, col . . . . .                  | 1.50 | 7.00   |       |
| “ saponaria, col . . . . .                     | 1.00 | 7.00   |       |
| Geranium maculatum, col . . . . .              | 60   | 2.50   |       |
| “ sanguineum, col . . . . .                    | 80   |        |       |
| Gerardia flava, col . . . . .                  | 1.00 |        |       |
| Goodyera pubescens, col . . . . .              | 1.00 |        |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                                 | 10     | 100    | 1000  |
|-------------------------------------------------|--------|--------|-------|
| <i>Gratiola aurea</i> , col . . . . .           | \$1.00 | \$5.00 |       |
| <i>Habenaria blephariglotis</i> , col . . . . . | 70     | 5.00   |       |
| “ <i>ciliaris</i> , col . . . . .               | 75     |        |       |
| “ <i>cristata</i> , col . . . . .               | 1.50   | 10.00  |       |
| “ <i>lacera</i> , col . . . . .                 | 75     | 5.00   |       |
| <i>Helenium autumnale superbum</i> . . . . .    | 60     | 4.00   | 25.00 |
| “ <i>Boulanderii</i> . . . . .                  | 75     | 5.00   |       |
| <i>Helianthus angustifolius</i> , col . . . . . | 75     | 4.00   |       |
| “ <i>divaricatus</i> , col . . . . .            | 75     | 5.00   |       |
| “ <i>giganteus</i> . . . . .                    | 75     | 5.00   |       |
| “ <i>laetiflorus</i> . . . . .                  | 50     | 2.00   | 10.00 |
| “ <i>Maximillianii</i> . . . . .                | 60     | 4.00   |       |
| “ <i>mollis</i> . . . . .                       | 75     | 4.00   |       |
| <i>Helonias bullata</i> , col . . . . .         | 85     | 4.00   | 30.00 |
| <i>Hemerocallis Dumortierii</i> . . . . .       | 75     | 4.00   | 30.00 |
| “ <i>florham</i> . . . . .                      | 75     | 6.00   |       |
| “ <i>flava</i> . . . . .                        | 75     | 4.00   |       |
| “ <i>fulva</i> . . . . .                        | 60     | 2.00   | 15.00 |
| “ <i>Middendorffiana</i> . . . . .              | 1.00   |        |       |
| “ <i>Kwanso plena</i> var . . . . .             | 1.25   |        |       |
| “ <i>Thunbergii</i> . . . . .                   | 75     | 4.00   |       |
| <i>Hepatica acutiloba</i> , col . . . . .       | 60     | 4.00   | 25.00 |
| “ <i>triloba</i> , col . . . . .                | 60     | 4.00   | 25.00 |
| <i>Heuchera Americana</i> , col . . . . .       | 50     | 2.00   | 15.00 |
| <i>Hibiscus moscheutos</i> . . . . .            | 60     | 3.00   | 20.00 |
| “ “ <i>Crimson Eye</i> . . . . .                | 60     | 3.00   | 20.00 |
| “ “ <i>Rose Pink</i> . . . . .                  | 75     |        |       |
| <i>Houstonia coerulea</i> . . . . .             | 75     | 5.00   |       |
| <i>Hydrastis Canadensis</i> , col . . . . .     | 75     | 4.00   |       |
| <i>Hypericum angulosum</i> , col . . . . .      | 1.00   | 5.00   |       |
| <i>Iberis sempervirens</i> . . . . .            | 75     |        |       |
| “ “ <i>superba</i> . . . . .                    | 75     |        |       |
| <i>Ipomea pandurata</i> , col . . . . .         | 1.00   | 7.00   |       |
| <i>Iris Germanica</i> —Mme. Cherau . . . . .    | 75     | 4.00   |       |
| “ “ <i>aurea</i> . . . . .                      | 1.00   | 5.00   |       |
| “ “ <i>Mandaliscoe</i> . . . . .                | 75     | 4.00   |       |
| “ “ <i>mixed</i> . . . . .                      | 50     | 2.00   |       |
| “ <i>Koempferii</i> , mixed . . . . .           | 75     | 4.00   |       |
| “ <i>prismatica</i> , col . . . . .             | 60     | 3.00   | 20.00 |
| “ <i>pumila</i> . . . . .                       | 60     |        |       |
| “ <i>pseudacorus</i> . . . . .                  | 50     | 4.00   |       |
| “ <i>Siberica</i> . . . . .                     | 50     | 4.00   |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                       | 10   | 100    | 1000  |
|---------------------------------------|------|--------|-------|
| Iris Siberica alba . . . . .          | 60   | \$4.00 |       |
| “ “ orientalis . . . . .              | 75   | 5.00   |       |
| “ Eburna . . . . .                    | 75   | 6.00   |       |
| “ verna . . . . .                     | 75   |        |       |
| “ versicolor . . . . .                | 75   | 2.00   |       |
| Lacnantes tinctoria, col . . . . .    | 75   | 5.00   |       |
| Liatris graminifolia, col . . . . .   | 50   | 3.00   | 15.00 |
| “ pycnostachia . . . . .              | 1.25 | 6.00   |       |
| “ spicata . . . . .                   | 75   | 5.00   |       |
| Lilium Philadelphicum, col . . . . .  | 80   | 5.00   |       |
| “ superbum, col . . . . .             | 75   |        |       |
| “ Canadense, col . . . . .            | 75   | 5.00   |       |
| Limnanthemum lacunosum, col . . . . . | 1.00 | 6.00   | 50.00 |
| Linaria Canadensis, col . . . . .     | 50   | 3.00   | 15.00 |
| “ vulgaris . . . . .                  | 60   | 5.00   | 25.00 |
| Liparis liliifolia, col . . . . .     | 1.25 | 8.00   |       |
| “ Loesellii, col . . . . .            | 1.25 |        |       |
| Lobelia cardinalis, col . . . . .     | 75   | 4.00   | 30.00 |
| “ syphilitica, col . . . . .          | 80   | 5.00   |       |
| Lophiola aurea, col . . . . .         | 1.00 | 5.00   | 30.00 |
| Lysimachia ciliata . . . . .          | 60   | 4.00   |       |
| “ clethroides . . . . .               | 60   |        |       |
| “ Nummularia . . . . .                | 60   | 3.00   |       |
| “ punctata . . . . .                  | 60   | 4.00   |       |
| “ quadrifolia, col . . . . .          | 60   | 4.00   |       |
| “ stricta, col . . . . .              | 60   | 4.00   |       |
| Lythrum salicaria superba . . . . .   | 80   | 4.00   |       |
| Mertensia Virginica, col . . . . .    | 75   | 3.50   | 25.00 |
| Mikania scandens, col . . . . .       | 1.00 | 6.00   |       |
| Mitchella repens, col . . . . .       | 50   | 2.00   | 15.00 |
| Mentha Piperita . . . . .             | 75   | 3.00   |       |
| “ viridis . . . . .                   | 75   | 3.00   |       |
| Narthecium Americana, col . . . . .   | 1.50 | 6.00   | 50.00 |
| Nepeta glechoma . . . . .             | 50   | 2.00   |       |
| Nesæa verticillata, col . . . . .     | 1.00 | 5.00   |       |
| Nuphar advena, col . . . . .          | 1.00 | 6.00   |       |
| Nymphæa odorata, col . . . . .        | 75   | 3.50   |       |
| “ “ minor, col . . . . .              | 75   | 3.00   |       |
| Oenothera fruticosa, col . . . . .    | 75   | 4.00   |       |
| “ Youngii . . . . .                   | 60   | 5.00   |       |
| Onoclea sensibilis, col . . . . .     | 50   | 3.00   | 20.00 |
| “ struthiopteris, col . . . . .       | 1.75 | 7.00   |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                                | 10   | 100    | 1000    |
|------------------------------------------------|------|--------|---------|
| <i>Opuntia Raffinesquii</i> , col . . . . .    | 60   | \$4.00 | \$30.00 |
| <i>Orontium aquaticum</i> , col . . . . .      | 90   | 6.00   | 45.00   |
| <i>Osmunda cinnamomea</i> , c . . . . .        | 1.00 | 6.00   | 45.00   |
| “ <i>Claytoniana</i> , col . . . . .           | 85   | 4.00   | 35.00   |
| “ <i>regalis</i> , col . . . . .               | 1.00 | 6.00   | 40.00   |
| <i>Oxalis violacea</i> , col . . . . .         | 60   | 3.00   |         |
| <i>Panicum virgatum</i> , col . . . . .        | 60   | 2.00   | 15.00   |
| <i>Pardanthus Chinensis</i> . . . . .          | 50   | 4.00   |         |
| <i>Pentstemon barbatus Torreyii</i> . . . . .  | 75   | 4.00   |         |
| “ <i>digitalis</i> . . . . .                   | 1.00 | 5.00   |         |
| <i>Peltandra Virginica</i> , col . . . . .     | 1.50 | 8.00   | 60.00   |
| <i>Phegopteris dryopteris</i> , col . . . . .  | 1.00 |        |         |
| “ <i>hexagonoptera</i> , col . . . . .         | 60   | 3.00   |         |
| “ <i>polypodioides</i> , col . . . . .         | 1.00 |        |         |
| <i>Phlox divaricata</i> , col . . . . .        | 75   | 3.00   | 25.00   |
| “ <i>maculata</i> , col . . . . .              | 75   | 3.50   |         |
| “ <i>The Pearl</i> . . . . .                   | 60   | 4.00   |         |
| <i>Physostegia Virginica</i> . . . . .         | 1.00 |        |         |
| <i>Platycodon grandiflorum</i> . . . . .       | 60   |        |         |
| “ “ <i>album</i> . . . . .                     | 60   |        |         |
| <i>Plumbago larpentæ</i> . . . . .             | 75   | 4.00   | 30.00   |
| <i>Podophyllum peltatum</i> , col . . . . .    | 60   | 4.00   | 25.00   |
| <i>Pogonia ophioglossoides</i> , col . . . . . | 75   | 6.00   |         |
| <i>Polypodium vulgare</i> , col . . . . .      | 60   | 2.00   | 12.00   |
| <i>Pontederia cordata</i> , col . . . . .      | 75   | 5.00   |         |
| <i>Pteris aquilina</i> , col . . . . .         | 50   | 2.00   | 10.00   |
| <i>Pycnanthemum linifolium</i> . . . . .       | 50   |        |         |
| <i>Pyrola chlorantha</i> , col . . . . .       | 60   | 4.00   |         |
| “ <i>elliptica</i> , col . . . . .             | 60   | 4.00   |         |
| “ <i>rotundifolia</i> , col . . . . .          | 60   | 4.00   |         |
| <i>Pyxidanthera barbulata</i> , col . . . . .  | 1.00 | 5.00   | 40.00   |
| <i>Rhexia Mariana</i> , col . . . . .          | 50   | 4.00   |         |
| “ <i>Virginica</i> , col . . . . .             | 50   | 4.00   |         |
| <i>Rudbeckia hirta</i> , col . . . . .         | 60   | 4.00   | 35.00   |
| “ <i>laciniata</i> . . . . .                   | 60   | 4.00   | 30.00   |
| “ “ <i>fl. pl. (Golden Glow)</i> . . . . .     | 50   | 3.50   |         |
| “ <i>speciosa</i> . . . . .                    | 80   | 5.00   |         |
| “ <i>nitida</i> . . . . .                      | 60   | 4.00   |         |
| <i>Sabatia chloroides</i> , col . . . . .      | 75   | 6.00   | 45.00   |
| “ <i>lanceolata</i> , col . . . . .            | 60   | 5.00   | 45.00   |
| <i>Sagittaria latifolia</i> , col . . . . .    | 1.00 | 6.00   |         |
| “ <i>Engelmanii</i> , col . . . . .            | 1.00 | 6.00   |         |

All plants in this list are nursery grown, unless otherwise specified.

|                                                 | 10   | 100  | 1000  |
|-------------------------------------------------|------|------|-------|
| <i>Salvia lyrata</i> . . . . .                  | 50   |      |       |
| “ <i>azurea grandiflora</i> . . . . .           | 75   | 5.00 |       |
| <i>Sanguinaria Canadensis</i> . . . . .         | 60   | 2.00 | 18.00 |
| <i>Saracenia purpurea</i> , col . . . . .       | 75   | 4.00 | 30.00 |
| <i>Scirpus Eriophorum</i> , col . . . . .       | 60   | 4.00 |       |
| <i>Sclerolepis verticillata</i> , col . . . . . | 75   | 4.00 | 30.00 |
| <i>Sedum acre</i> , col . . . . .               | 80   | 5.00 |       |
| “ <i>album</i> . . . . .                        | 40   | 3.00 | 25.00 |
| “ <i>spectabile</i> . . . . .                   | 75   | 5.00 |       |
| “ <i>ternatum</i> . . . . .                     | 60   | 3.00 | 20.00 |
| <i>Silene Pennsylvanicum</i> , col . . . . .    | 1.00 | 6.00 |       |
| “ <i>stellata</i> , col . . . . .               | 60   | 3.00 |       |
| “ <i>Virginica</i> , col . . . . .              | 75   | 5.00 |       |
| <i>Smilacena bifolia</i> , col . . . . .        | 75   | 3.00 | 25.00 |
| “ <i>racemosa</i> , col . . . . .               | 75   | 3.00 | 25.00 |
| <i>Solidago altissimum</i> , col . . . . .      | 60   | 2.50 |       |
| “ <i>caesia</i> , col . . . . .                 | 50   |      |       |
| “ <i>Canadensis</i> . . . . .                   | 75   | 4.00 |       |
| “ <i>lanceolata</i> , col . . . . .             | 50   | 2.00 | 15.00 |
| “ <i>nemoralis</i> , col . . . . .              | 60   | 2.00 | 15.00 |
| “ <i>odora</i> , col . . . . .                  | 75   | 3.00 | 20.00 |
| “ <i>puberula</i> , col . . . . .               | 60   |      |       |
| “ <i>sempervirens</i> . . . . .                 | 75   | 4.00 | 25.00 |
| “ <i>tenuifolia</i> , col . . . . .             | 50   | 2.00 | 15.00 |
| “ <i>virgata</i> , col . . . . .                | 75   | 5.00 |       |
| <i>Stokesia cyanea</i> . . . . .                | 75   | 4.00 | 30.00 |
| <i>Tephrosia Virginica</i> , col . . . . .      | 75   | 5.00 | 40.00 |
| <i>Thalictrum cornuti</i> , col . . . . .       | 75   | 5.00 | 40.00 |
| <i>Tradescantia Virginica</i> . . . . .         | 60   | 3.00 | 25.00 |
| “ “ <i>alba</i> . . . . .                       | 75   | 3.50 | 25.00 |
| “ “ <i>fl. pl.</i> . . . . .                    | 1.00 | 4.00 |       |
| <i>Trientalis Americana</i> , col . . . . .     | 75   | 5.00 | 35.00 |
| <i>Trillium erectum</i> , col . . . . .         | 60   | 4.00 |       |
| “ “ <i>album</i> , col . . . . .                | 75   | 4.00 |       |
| “ <i>grandiflorum</i> . . . . .                 | 50   | 2.50 | 15.00 |
| “ “ <i>roseum</i> . . . . .                     | 75   | 5.00 |       |
| <i>Tritoma Pfizerii</i> . . . . .               | 1.00 | 5.00 |       |
| <i>Typha angustifolia</i> , col . . . . .       | 60   | 5.00 | 40.00 |
| “ <i>latifolia</i> , col . . . . .              | 60   | 5.00 |       |
| <i>Vernonia novaboracensis</i> , col . . . . .  | 80   | 5.00 |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                           | 10   | 100  | 1000  |
|-------------------------------------------|------|------|-------|
| Veronica Cercaecoides . . . . .           | 75   |      |       |
| “ officinalis . . . . .                   | 50   | 2.00 | 18.00 |
| “ longifolia subsessilis . . . . .        | 1.00 | 5.00 |       |
| Vinca minor . . . . .                     | 75   | 4.00 |       |
| “ “ var . . . . .                         | 80   | 5.00 |       |
| Viola cucullata . . . . .                 | 50   | 1.50 | 10.00 |
| “ pedata, col . . . . .                   | 60   | 5.00 | 30.00 |
| “ Pinehurst . . . . .                     | 1.00 | 5.00 |       |
| “ primulaefolia . . . . .                 | 1.00 | 7.50 |       |
| Woodwardia angustifolia, col . . . . .    | 60   | 4.00 | 25.00 |
| “ Virginica, col . . . . .                | 60   | 3.00 | 25.00 |
| Xerophyllum asphodelloides, col . . . . . | 75   | 5.00 | 30.00 |

## Trees, Shrubs and Woody Climbers.

|                                               |      |        |         |
|-----------------------------------------------|------|--------|---------|
| Acer rubrum, 2 to 3 feet, col . . . . .       | 50   | \$2.50 | \$15.00 |
| “ “ 3 to 4 feet, col . . . . .                | 75   | 3.00   |         |
| “ “ 4 to 5 feet, col . . . . .                | 80   | 4.00   |         |
| “ “ 5 to 6 feet, col . . . . .                | 1.25 | 8.00   |         |
| Althea, Crested Beauty, 2 to 3 feet . . . . . | 1.00 | 6.00   |         |
| “ “ 3 to 4 feet . . . . .                     | 1.50 | 10.00  |         |
| “ Meehanii, 6 to 12 inches . . . . .          | 1.00 |        |         |
| Amelanchier Canadensis, 1 to 2 feet . . . . . | 60   | 5.00   |         |
| “ “ collected . . . . .                       | 60   | 3.00   |         |
| Ampelopsis quinquefolia, 2 years . . . . .    | 75   | 4.00   |         |
| Andromeda arborea, 1 to 2 feet . . . . .      | 1.25 | 9.00   |         |
| “ “ 2 to 3 feet . . . . .                     | 2.75 | 25.00  |         |
| “ “ 3 to 4 feet . . . . .                     | 7.50 | 50.00  |         |
| “ calyculata, col . . . . .                   | 60   | 5.00   |         |
| “ polifolia, strong plants . . . . .          | 1.50 | 10.00  |         |
| “ racemosa, 2 to 3 feet . . . . .             | 2.50 | 20.00  |         |
| “ “ collected . . . . .                       | 75   | 5.00   |         |
| “ ligustrina, transplanted . . . . .          | 75   |        |         |
| “ “ collected . . . . .                       | 60   | 3.00   | 25.00   |
| “ Mariana, 6 to 12 inches . . . . .           | 75   | 4.00   |         |
| “ “ 1 to 2 feet . . . . .                     | 1.00 | 5.00   |         |
| “ “ 2 to 3 feet . . . . .                     | 1.25 | 7.00   |         |
| “ “ collected . . . . .                       | 75   | 3.50   | 25.00   |
| Asimina Triloba . . . . .                     | 5.00 |        |         |
| Ascyrum Crux-Andrae, col . . . . .            | 1.00 | 5.00   |         |
| “ stans, col . . . . .                        | 60   | 3.00   |         |

All plants in this list are nursery grown, unless otherwise specified.

|                                                   | 10     | 100     | 1000  |
|---------------------------------------------------|--------|---------|-------|
| Azalea arborescens, 2 to 3 feet, heavy . . . . .  | \$7.50 | \$50.00 |       |
| “ amoena, 15 to 18 inches . . . . .               | 7.50   | 50.00   |       |
| “ Calendulacea, 8 to 12 inches . . . . .          | 2.00   | 15.00   |       |
| “ canescens, 1 to 2 feet . . . . .                | 3.50   | 30.00   |       |
| “ “ 2 to 3 feet . . . . .                         | 5.00   | 40.00   |       |
| “ “ 3 to 4 feet . . . . .                         | 10.00  |         |       |
| “ nudiflora, 6 to 10 inches . . . . .             | 2.00   | 10.00   |       |
| “ “ 10 to 15 inches . . . . .                     | 3.00   | 18.00   |       |
| “ “ 18 to 24 inches . . . . .                     | 6.00   | 50.00   |       |
| “ “ 2 to 3 feet . . . . .                         | 10.00  |         |       |
| “ “ col . . . . .                                 | 75     | 5.00    | 40.00 |
| “ Vaseyi, 18 to 24 inches . . . . .               | 7.50   |         |       |
| “ viscosa, 1 to 2 feet . . . . .                  | 1.00   | 7.50    |       |
| “ “ 2 to 3 feet . . . . .                         | 2.00   | 15.00   |       |
| “ “ col . . . . .                                 | 75     | 5.00    |       |
| “ “ col. specimens, 40 cts. to \$5 each.          |        |         |       |
| Bacharis halimifolia, 3 to 4 feet . . . . .       | 7.50   |         |       |
| “ “ col . . . . .                                 | 1.00   | 5.00    |       |
| Berberis Thunbergii . . . . .                     | 1.00   | 8.00    |       |
| Betula lenta, 7 to 10 feet, XXX . . . . .         | 4.00   | 30.00   |       |
| “ “ 10 to 12 feet, XXX . . . . .                  | 5.00   | 40.00   |       |
| “ “ col . . . . .                                 | 50     | 4.00    | 25.00 |
| Carpinus Americana, 2 to 4 feet . . . . .         | 1.00   | 7.50    |       |
| “ “ 4 to 7 feet . . . . .                         | 2.50   | 15.00   |       |
| Celastrus scandens, col . . . . .                 | 50     | 2.00    | 15.00 |
| Cephalanthus occidentalis, transplanted . . . . . | 1.00   | 7.50    |       |
| “ “ 2 to 4 feet . . . . .                         | 5.00   |         |       |
| Cercis Canadensis, 2 to 3 feet . . . . .          | 1.00   | 6.00    |       |
| “ “ 3 to 5 feet . . . . .                         | 1.50   | 7.00    |       |
| “ “ 5 to 6 feet . . . . .                         | 2.00   | 10.00   |       |
| “ “ 6 to 7 feet . . . . .                         | 2.50   | 15.00   |       |
| Chionanthus Virginica, 6 to 12 inches . . . . .   | 1.00   | 8.00    |       |
| Clematis Virginiana . . . . .                     | 75     | 5.00    |       |
| “ “ col . . . . .                                 | 50     | 3.00    | 20.00 |
| Clethra alnifolia, 1 to 2 feet . . . . .          | 50     | 4.00    | 35.00 |
| “ “ 2 to 3 feet . . . . .                         | 80     | 6.00    |       |
| “ “ 3 to 4 feet . . . . .                         | 1.00   | 8.00    |       |
| Comptonia asplenifolia, col . . . . .             | 50     | 2.50    | 15.00 |
| Cornus florida, 2 to 3 feet . . . . .             | 1.00   | 10.00   |       |
| “ “ 3 to 4 feet . . . . .                         | 2.00   | 15.00   |       |
| “ “ 4 to 5 feet . . . . .                         | 3.00   | 20.00   |       |
| “ “ 5 to 7 feet . . . . .                         | 5.00   | 35.00   |       |

All plants in this list are nursery grown, unless otherwise specified.



|                                                                | 10     | 100    | 1000  |
|----------------------------------------------------------------|--------|--------|-------|
| <i>Cornus paniculata</i> . . . . .                             | \$1.00 | \$8.00 |       |
| “ “ col . . . . .                                              | 60     | 3.00   | 25.00 |
| “ sericea, 3 to 4 feet . . . . .                               | 85     | 7.50   |       |
| “ “ 4 to 5 feet . . . . .                                      | 1.50   | 12.00  |       |
| <i>Corylus Americana</i> , 2 to 3 feet, transplanted . . . . . | 2.00   | 10.00  |       |
| “ “ 3 to 5 feet, transplanted . . . . .                        | 3.00   | 15.00  |       |
| “ “ col . . . . .                                              | 60     | 3.00   | 20.00 |
| <i>Crataegus parvifolia</i> , col . . . . .                    | 60     | 4.00   | 35.00 |
| <i>Cupressus thuyoides</i> , col . . . . .                     | 50     | 1.50   | 8.00  |
| <i>Diervilla trifida</i> , transplanted . . . . .              | 75     | 6.00   |       |
| “ “ col . . . . .                                              | 60     | 3.00   | 25.00 |
| “ sessilifolia . . . . .                                       | 1.00   |        |       |
| <i>Dirca palustris</i> , transplanted . . . . .                | 5.00   |        |       |
| <i>Epigaea repens</i> , col. seedlings with ball . . . . .     | 1.00   | 6.00   |       |
| <i>Euonymus Americanus</i> , col . . . . .                     | 60     | 2.50   | 20.00 |
| “ radicans . . . . .                                           | 60     | 3.50   |       |
| “ “ variegata . . . . .                                        | 75     |        |       |
| “ Europeus, 2 to 3 feet . . . . .                              | 60     | 3.00   |       |
| “ “ 3 to 4 feet . . . . .                                      | 1.00   | 4.00   |       |
| <i>Forsythia Fortunei</i> . . . . .                            | 60     | 4.00   |       |
| <i>Gaultheria procumbens</i> . . . . .                         | 1.00   |        |       |
| “ “ col . . . . .                                              | 60     | 1.50   | 10.00 |
| “ “ col. clumps . . . . .                                      | 50     | 2.00   | 15.00 |
| <i>Gaylussacia Dumosa</i> , col . . . . .                      | 75     | 5.00   |       |
| “ frondosa, col . . . . .                                      | 75     | 5.00   |       |
| “ resinosa, col . . . . .                                      | 75     | 5.00   |       |
| <i>Hammamelis Virginica</i> . . . . .                          | 1.25   | 10.00  |       |
| “ “ col . . . . .                                              | 60     | 3.50   | 10.00 |
| <i>Hudsonia ericoides</i> , col . . . . .                      | 75     | 5.00   |       |
| “ tomentosa, col . . . . .                                     | 2.50   | 10.00  |       |
| <i>Hydrangea arborescens</i> , 1 to 2 feet . . . . .           | 75     | 6.00   |       |
| “ “ 2 to 3 feet . . . . .                                      | 1.00   | 7.50   |       |
| “ “ col . . . . .                                              | 60     | 3.00   | 25.00 |
| <i>Hypericum densiflorum</i> , strong bushy plants . . . . .   | 1.50   |        |       |
| “ “ col . . . . .                                              | 60     | 4.00   | 20.00 |
| “ perforatum, col . . . . .                                    | 75     | 5.00   |       |
| “ Van Fleetii, 1 to 2 feet, bushy . . . . .                    | 2.50   |        |       |
| <i>Ilex glabra</i> , 1 to 2, with ball, transplanted . . . . . | 5.00   | 30.00  |       |
| “ “ 6 to 12 inches, col . . . . .                              | 60     | 3.00   |       |
| “ “ 2 to 3 feet, with ball, col . . . . .                      | 6.00   | 40.00  |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                                                                                                           | 10     | 100     | 1000  |
|---------------------------------------------------------------------------------------------------------------------------|--------|---------|-------|
| Ilex Opaca, 6 to 12 inches, transplanted . . . . .                                                                        | \$2.00 | \$10.00 |       |
| “ “ 1 to 2 feet, bushy, transplanted . . . . .                                                                            | 3.00   | 20.00   |       |
| “ “ 2 to 3 feet, “ “ . . . . .                                                                                            | 5.00   | 40.00   |       |
| “ “ 3 to 4 feet, “ “ . . . . .                                                                                            | 7.50   |         |       |
| “ verticillata, fruiting plants, 1 to 2 feet . . . . .                                                                    | 2.50   | 20.00   |       |
| “ “ “ 2 to 3 feet . . . . .                                                                                               | 3.50   | 25.00   |       |
| “ “ “ 3 to 4 feet . . . . .                                                                                               | 5.00   |         |       |
| “ “ collected . . . . .                                                                                                   | 75     | 5.00    |       |
| Itea Virginica, 1 to 2 feet . . . . .                                                                                     | 50     | 4.00    |       |
| “ “ 2 to 3 feet . . . . .                                                                                                 | 80     | 6.00    |       |
| “ “ 3 to 4 feet . . . . .                                                                                                 | 1.00   |         |       |
| Juniperus Virginiana, 50 cents to \$5 per 10.                                                                             |        |         |       |
| Kalmia angustifolia, col . . . . .                                                                                        | 60     | 4.00    | 30.00 |
| “ latifolia, 6 to 12 inches, col . . . . .                                                                                | 60     | 4.00    | 30.00 |
| “ “ 2 feet, with ball, col . . . . .                                                                                      | 5.00   | 30.00   |       |
| We have a very fine lot of this grade of Kalmias<br>which we can furnish by ten thousand or<br>carload at special prices. |        |         |       |
| Kolreuteria paniculata, 1 to 3 feet, transplanted . . . . .                                                               | 50     | 3.00    |       |
| Ledum latifolium, col . . . . .                                                                                           | 1.00   | 5.00    |       |
| Leiophyllum buxifolium, strong plants, some budded . . . . .                                                              | 5.00   | 25.00   |       |
| “ “ col . . . . .                                                                                                         | 60     | 5.00    | 40.00 |
| Leucothoe Catesbaei, 6 to 12 inches . . . . .                                                                             | 1.00   | 7.00    |       |
| “ “ 12 to 15 inches . . . . .                                                                                             | 2.00   | 12.00   |       |
| Lindera Benzoin, 2 to 3 feet . . . . .                                                                                    | 2.00   | 10.00   |       |
| “ “ col . . . . .                                                                                                         | 60     | 3.00    | 25.00 |
| Liquidambar styraciflua, 4 to 6 feet . . . . .                                                                            | 3.00   | 25.00   |       |
| “ “ 6 to 8 feet, twice transp . . . . .                                                                                   | 4.50   |         |       |
| “ “ 7 to 9 feet “ “ . . . . .                                                                                             | 7.50   |         |       |
| “ “ col . . . . .                                                                                                         | 60     | 4.00    |       |
| Lonicera Brachypoda, col . . . . .                                                                                        | 60     | 3.00    | 25.00 |
| “ fragrantissima . . . . .                                                                                                | 1.25   |         |       |
| “ Halleana . . . . .                                                                                                      | 75     | 3.50    | 25.00 |
| Lycium vulgare . . . . .                                                                                                  | 50     | 2.50    |       |
| Magnolia glauca, 1 to 2 feet, strong . . . . .                                                                            | 2.00   | 18.00   |       |
| “ “ 2 to 3 feet, strong . . . . .                                                                                         | 3.00   | 25.00   |       |
| Menispermum Canadense, col . . . . .                                                                                      | 60     | 2.50    | 20.00 |
| Myrica cerifera, 2 to 3 feet . . . . .                                                                                    | 2.00   |         |       |
| “ “ col . . . . .                                                                                                         | 75     | 3.50    |       |
| “ gale . . . . .                                                                                                          | 1.00   | 5.00    |       |
| “ “ col . . . . .                                                                                                         | 75     | 3.50    | 30.00 |
| Nyssa multiflora, 2 to 4 feet . . . . .                                                                                   | 3.50   |         |       |
| Ostrya Virginica . . . . .                                                                                                | 1.25   | 8.00    |       |
| Oxydendrum arboreum (see Andromeda).                                                                                      |        |         |       |

All plants in this list are nursery grown, unless otherwise specified.

|                                                                          | 10     | 100     | 1000  |
|--------------------------------------------------------------------------|--------|---------|-------|
| <i>Platanus orientalis</i> , 6 to 8 feet, transplanted . . .             | \$3.00 | \$25.00 |       |
| “ “ 8 to 10 feet, transplanted . . .                                     | 4.00   | 30.00   |       |
| <i>Prunus maritima</i> , col . . . . .                                   | 75     | 4.00    | 30.00 |
| “ <i>serotina</i> , col . . . . .                                        | 75     | 4.00    | 30.00 |
| “ <i>Virginiana</i> , col . . . . .                                      | 60     | 3.00    | 25.00 |
| <i>Pyrus arbutifolia</i> , var. <i>Brilliantissima</i> , 1 to 2 feet . . | 75     | 5.00    |       |
| “ “ “ 2 to 3 feet . .                                                    | 1.00   | 6.00    |       |
| “ “ “ 3 to 4 feet . .                                                    | 1.50   | 8.00    |       |
| <i>Pyrus melanocarpa</i> , col . . . . .                                 | 75     | 5.00    |       |
| <i>Rhododendron maximum</i> , 2 years transplanted . . .                 | 3.00   | 25.00   |       |
| “ “ col., 6 to 12 inches . . .                                           | 75     | 2.00    | 18.00 |
| “ <i>Catawbiense</i> , twice transplanted . . .                          | 1.50   | 10.00   |       |
| “ “ 10 to 15 in., bushy clumps<br>at 50 c. to \$1.50 each.               |        |         |       |
| Some finely budded specimens at special prices.                          |        |         |       |
| <i>Rhus copalina</i> , 1 to 2 feet . . . . .                             | 75     | 5.00    |       |
| “ “ 2 to 3 feet . . . . .                                                | 1.00   | 7.50    |       |
| “ “ collected . . . . .                                                  | 50     | 3.00    | 25.00 |
| “ <i>glabra</i> , col . . . . .                                          | 75     | 4.00    |       |
| “ <i>typhina</i> , col . . . . .                                         | 50     | 3.00    | 25.00 |
| “ “ <i>laciniata</i> . . . . .                                           | 75     |         |       |
| <i>Robinia hispida</i> , col . . . . .                                   | 50     | 3.00    | 25.00 |
| <i>Rosa blanda</i> . . . . .                                             | 1.00   | 7.00    |       |
| “ <i>Carolina</i> , col . . . . .                                        | 75     | 5.00    | 40.00 |
| “ <i>lucida</i> , transplanted . . . . .                                 | 1.25   | 7.00    |       |
| “ “ col . . . . .                                                        | 50     | 4.00    | 30.00 |
| “ <i>nitida</i> . . . . .                                                | 1.25   | 7.00    |       |
| “ <i>setigera</i> . . . . .                                              | 1.25   | 7.00    |       |
| <i>Rubus Canadensis</i> , col . . . . .                                  | 50     | 3.00    | 25.00 |
| “ <i>cuneifolius</i> , col . . . . .                                     | 75     | 5.00    | 40.00 |
| “ <i>hispidus</i> , col . . . . .                                        | 50     | 2.00    | 10.00 |
| “ <i>odoratus</i> , col . . . . .                                        | 75     | 3.00    | 25.00 |
| <i>Sambucus Canadensis</i> , col . . . . .                               | 75     | 5.00    |       |
| <i>Sassafras</i> , transplanted, 1 to 2 feet . . . . .                   | 2.00   | 12.00   |       |
| “ “ 2 to 3 feet . . . . .                                                | 3.50   |         |       |
| “ col . . . . .                                                          | 1.50   | 10.00   |       |
| <i>Smilax rotundifolium</i> , col . . . . .                              | 60     | 3.00    | 25.00 |
| “ <i>Walterii</i> , col . . . . .                                        | 2.00   | 10.00   |       |
| <i>Spiraea Anthony Waterer</i> , 3 to 4 feet . . . . .                   | 2.00   | 10.00   |       |
| “ <i>tomentosa</i> , col . . . . .                                       | 75     | 5.00    | 40.00 |
| “ <i>van Houttei</i> , 3 to 4 feet . . . . .                             | 75     | 5.00    |       |
| <i>Staphylea trifolia</i> , col . . . . .                                | 75     | 4.00    | 30.00 |

All plants in this list are nursery grown, unless otherwise specified.

|                                                                     | 10     | 100   | 1000  |
|---------------------------------------------------------------------|--------|-------|-------|
| <i>Stuartia pentagynia</i> . . . . .                                | \$2.00 |       |       |
| <i>Symphoricarpos vulgaris</i> , 2 to 3 feet . . . . .              | 50     | 2.50  | 20.00 |
| <i>Tecoma radicans</i> . . . . .                                    | 1.00   | 5.00  |       |
| <i>Ulmus Americanus</i> , 6 to 8 feet, twice transplanted . . . . . | 4.00   | 30.00 |       |
| <i>Vaccinium corymbosum</i> . . . . .                               | 1.25   | 10.00 |       |
| “ “ col., 60 cts to \$2.50 per 10;<br>\$4 to \$30 per 100           |        |       |       |
| “ <i>macrocarpon</i> , transplanted . . . . .                       | 1.50   | 5.00  |       |
| “ <i>Pennsylvanicum</i> , col . . . . .                             | 75     | 5.00  | 40.00 |
| “ <i>stamineum</i> , 1 to 2 feet . . . . .                          | 1.50   | 10.00 |       |
| “ “ col . . . . .                                                   | 75     | 4.00  | 30.00 |
| “ <i>vacillans</i> , col . . . . .                                  | 60     | 3.00  | 25.00 |
| <i>Viburnum acerifolium</i> , 1 to 2 feet . . . . .                 | 1.00   | 7.00  |       |
| “ “ col . . . . .                                                   | 60     | 4.00  | 30.00 |
| “ <i>cassinoides</i> , 1 to 2 feet . . . . .                        | 1.00   | 6.00  |       |
| “ “ 2 to 3 feet . . . . .                                           | 1.50   | 10.00 |       |
| “ <i>dentatum</i> seedlings, 1 to 2 feet . . . . .                  |        | 2.50  |       |
| “ <i>nudum</i> , col . . . . .                                      | 75     | 5.00  | 40.00 |
| “ <i>prunifolium</i> . . . . .                                      | 3.00   |       |       |
| <i>Virgilia lutea</i> , 3 to 4 feet . . . . .                       | 2.00   |       |       |
| <i>Xanthoxylum Americanum</i> . . . . .                             | 80     |       |       |
| “ “ col . . . . .                                                   | 75     | 4.00  | 30.00 |
| <i>Xanthorhiza apiifolia</i> . . . . .                              | 1.25   | 6.00  | 50.00 |

### Coniferous Evergreens.

|                                                   |       |       |       |
|---------------------------------------------------|-------|-------|-------|
| <i>Abies Nordmanniana</i> , 2 to 3 feet . . . . . | 7.50  |       |       |
| “ “ 3 to 4 feet . . . . .                         | 15.00 |       |       |
| <i>Pinus excelsa</i> , 6 to 12 inches . . . . .   | 4.00  |       |       |
| “ “ 12 to 18 inches . . . . .                     | 8.00  |       |       |
| “ <i>Innops</i> , col . . . . .                   | 1.50  | 10.00 |       |
| “ <i>mitis</i> , col . . . . .                    | 2.10  | 15.00 |       |
| “ <i>rigida</i> , col . . . . .                   | 75    | 2.00  | 15.00 |
| “ <i>strobis</i> , 2 to 3 feet . . . . .          | 2.50  |       |       |
| “ “ 3 to 4 feet . . . . .                         | 5.00  |       |       |

**White Pines for Forest Plantations.** We can furnish these in large quantities. Special prices will be quoted on request.

### Nut Bearing Trees.

|                                          |               |   |  |
|------------------------------------------|---------------|---|--|
| Butternut, 1 to 2 feet . . . . .         | \$1.50 for 10 |   |  |
| Black Walnut, 2 to 4 feet . . . . .      | 2.00          | “ |  |
| Franquette Walnut, 1 to 2 feet . . . . . | 5.00          | “ |  |
| Japan Walnut, 3 to 4 feet . . . . .      | 2.00          | “ |  |

All plants in this list are nursery grown, unless otherwise specified.

## How to Grow Dahlias.

---

Dahlias like a good, sandy loam, but will do well in heavy land if it is worked deep enough. A moderately heavy amount of manure should be worked in deep and the soil well pulverized before planting. Too much manure at the start will cause the plants to run to wood and foliage, and result in scanty flower production. If after growth is well started it is found that the plants require further feeding, a moderate amount of hen manure may be broadcasted between the rows and worked in with a cultivator. This may be repeated early in the blooming period, and will materially increase the quality and quantity of blooms and extend the season; but at this time too deep working will ruin the flower crop.

In planting, the tubers should be covered three or four inches deep, in rows four feet apart, and may be planted from eighteen inches to four feet apart in the rows, the latter distance permitting cultivating both ways. In light soil, four inches is none too deep, for when planted too shallow they are likely to dry out, or in the fall they may be injured by frost.

In dry weather it may be necessary to water, but after each wetting (which should not be oftener than once a week), when the water has soaked in sufficiently to prevent puddling, the ground should be worked with a hoe or cultivator. This prevents baking of the surface and the resulting evaporation of moisture, and if not done, watering may be more injurious than beneficial. In many cases, the mere pulverizing of the surface soil will obviate the necessity of watering.

When the young plants have attained a growth of about a foot, it will improve the yield and give the plants a more sturdy branching growth if the centre bud is pinched out. This should not be done in the northern sections, where the blooming period may already be far too short.

Some of the stronger growing varieties may need staking, to prevent their sprawling on the ground, and to render cultivation easier.

From New York southward, June 1st is sufficiently early to plant the tubers, as, if too early planted, they may be exhausted in the hot summer, and in the cool, early autumn, when the best blooms are usually produced, there will be but a few straggling flowers, ragged in appearance, and with many open centres. Further north, planting should be done as soon as weather conditions are safe.

The tubers should be dug the first fair day after the tops are frost-killed in the autumn. The tops should be cut off one or two inches from the tubers, the dirt knocked loose by beating the end of the stem with a stick. Then, after a few hours drying in the sun, they should be stored in a cool, dry cellar, safe from frost.



## A Dahlia Carrier on my Dahlia Farm.

---

Thousands of blooms, of the best cut flower varieties, are cut daily during the blooming period, and shipped to the leading New York and Philadelphia markets.

Bassett's Dahlias have the reputation of being the best grown.